





บริษัท สุขศิริ แฟลชไลท์ แอนด์ อีควิปเมนท์ จำกัด
 สำนักงานใหญ่ เลขที่ 222/3 ม.1 ต.บ้านแลง อ.เมือง จ.ระยอง 21000 โทรศัพท์
 033-014995 081-9828870,081-9832998 E-mail: suksiri.flashlight@gmail.com
 www.suksiri.net , Line id : wisitsak1977

LED Flood light

<p>RF-001</p>	 <p>The human body induction</p> <p>Dimensions: 222mm, 100mm, 47mm, 50mm</p>	<ol style="list-style-type: none"> 1. Rated Voltage: AC85-265V 2. Rated Power: 10W/20W/30W 3. Luminous flux: 850LM~1000LM 4. Light Source: High Power SMD Chips 5. Certificate:CCC & CE & RoHS 6. Body Color:Black 7. Beam Angle:120degree 8. Body Material:High Strength Aluminum; 5mm High Strength Glass (cover) 9. Warranty: 3years 10. IP Rating:IP65 lamp ip45 sensor 11. Waterproof Grade:IP65 Waterproof 12. Color:Warm White(2800-3200k) , Cold White(6500K)
<p>RF-002</p>		<p>Name: 15W emergency flood light Product parameters: Product Size: 125mm * 98 * 125mm Packing size: 145 * 135 * 105MM Lamp beads Model: 5730SMD Number of bead: 20PCS is white 2PCS red / 2PCS blue Input voltage: 8.4V Current: 1000MA Lighting time: lighting 7H, warning light 30H Charging time: 3.5H fast charge Built-in 2* 7.4V 2600mAh lithium battery Power: 15W Color temperature: red and blue + white Waterproof Protection class: IP65 Use the function: lighting, red and blue flash warning lights, fast charging, lasting work. Use of the field: travel camping field nighttime construction sleep camping fishing warehouse workshop. 3.5H fast charge, 5-7H long-lasting work lights, warning lights 20H lasting work Body color : Black</p>

<p>RF-003</p>		<p>Specification: Name:LED Work Lights Rechargeable Floodlights Power: 10W/20W/30W/50W LED Chip: USA Bridgelux Chip (one of the best chip in the market) Input Voltage: AC110-240V Frequency Range: 50-60Hz Power Factor: ≥0.9 Color Temperature: 6000K(white) Material : Aluminum+tempered glass Lamp Luminous Efficiency(lm/w): 80 Color index(CRI): Ra ≥80 Waterproof IP65 Rechargeable: Yes Charging Time: 2-3 Hours Working Time: 4 Hours Charger: 1*Car charger, 1*Standard Charger (power adapter) with EU/US/AU/UK Plug Rotatable Angle depends on your needs.</p>
<p>YHX-3005</p>		<p>Material: aluminum alloy LED Type: 288pcs 3518 LED bulbs Brightness: 4200lm Light Color: Cold White Voltage: 220V 50/60Hz Color Temperature: cold white ligh 5500-7000k Waterproof: IP65 Size: 250*170*45mm Cable Length: 45cm, exposed part 41cm Brown: positive Blue: negative Yellow: earth wire</p>
<p>YHX-3006</p>		<p>Material: aluminum alloy LED Type: 288pcs 3518 LED bulbs Brightness: 4200lm Light Color: Warm White Voltage: 220V 50/60Hz Color Temperature: warm white light 3000-3500k Waterproof: IP65 Size: 250*170*45mm Cable Length: 45cm, exposed part 41cm Brown: positive Blue: negative Yellow: earth wire</p>
<p>YHX-3012</p>		<p>Material: aluminum alloy LED Type: 20pcs 5730 SMD LED bulbs 2pcs red light LED/2pcs blue light LED Power: 15Watt Battery Type: 2pcs built-in 7.4V 2600mah li-ion battery Input Voltage: 8.4V Input Current: 1000ma Charge Time: 3.5hrs fast charging Runtime: lighting-7-12 hrs alarm light-30 hrs Waterproof: IP65 Size: 125mm*98*125mm</p>

<p>YHX-3013</p>		<p>Material: aluminum alloy LED Type: 20pcs 5730 SMD LED bulbs 2pcs red light LED/2pcs blue light LED Power: 15Watt Battery Type: 2pcs built-in 7.4V 2600mah li-ion battery Input Voltage: 8.4V Input Current: 1000ma Charge Time: 3.5hrs fast charging Runtime: lighting-7-12 hrs alarm light-30 hrs Waterproof: IP65 Size: 125mm*98*125mm</p>
<p>YHX-3001</p>		<p>Light Source:Cree XM-L2 LED Lifespan:100,000 Hours Shell Material:Aluminum Alloy 3-Mode:High-Low-Strobe Power:10W Switch:Click Switch Battery:3x 18650 Li-ion Batteries ,can dismountable Battery Life:500 charge cycles Can charging by AC charger or Car charger Output:5v/1A,can charge the phone & ipad and other digital products Input:4.2V Beam angle:The Horizontal Axis:120°;The Vertical Axis:60° Can use as power bank ,You can use the flood light to charging other device or you can us other device to charging this flashlight Usage:Outdoors,signboard of advertisements ect Waterproof: Excellent waterproof, suitable for outdoor environment, adverse weather conditions except for diving</p>
<p>YHX-3017</p>		<p>Light Source:Cree XM-L2 LED Lifespan:100,000 Hours Shell Material:Aluminum Alloy 3-Mode:High-Low-Strobe Power:10W Switch:Click Switch Battery:3x 18650 Li-ion Batteries ,can dismountable Battery Life:500 charge cycles Can charging by AC charger or Car charger Output:5v/1A,can charge the phone & ipad and other digital products Input:4.2V Beam angle:The Horizontal Axis:120°;The Vertical Axis:60° Can use as power bank ,You can use the flood light to charging other device or you can us other device to charging this flashlight Usage:Outdoors,signboard of advertisements ect Waterproof: Excellent waterproof, suitable for outdoor environment, adverse weather conditions except for diving</p>

<p>YHX-3016</p>		<p>LED Type: 1pc T6 LED , 10Watt Emitting color: white Beam angel: Horizontal 120°, Vertical 60° Working Mode: High - Low - Flashing Lumen: 1000lm Battery Type: 3pcs of 18650 (2200mAh real capacity with protective plate) Li-ion battery Charger: 4.2V 1A US Type charger(ETL Approved) Charging mode: direct charge Charging Time: 6H Working Voltage: 4.2V Working Current: Strong light1.5A/Low light 0.3A Waterproof: IPX5 Zoom: yes Color Box Size: 14cm*13cm*14cm</p>
<p>YHX-3015</p>		<p>Material: aluminum alloy LED Type: 24pcs of 5730SMD, 10watt Working Mode:Low(White)-High(White)- Alternately Flashing (blue and red) Battery Type:3pcs of 18650 Li-ion battery Package Size: 18.5 * 15 * 18cm Emitting color: White+Blue+Red Beam angel: Horizontal 120°, Vertical 60° charging mode:direct chargeable</p>
<p>YHX-3007</p>		<p>Material: ABS LED Type: COB LED Work Mode: mid light strong-mid light weak-circle light-red/blue alarm light Power: 15W Battery Type: 2pcs 18650 rechargeable battery Output Voltage: 4.8-5V Input Voltage: 4.2V Waterproof: IPX5 Lighting Range: 50-100 meters</p>
<p>YHX-3020</p>		<p>LED Type: COB LED Bulbs, 10Watt Lumen: 800-1000LM Battery Type: 3XAA Ni-MH 1200 mAh Battery Solar pannel: 5.5 V / 270 ma 1.5 W Charge time: 4.5h Input voltage: 24V Discharge time: 8-20 hrs, charge and discharge automatically Working Temperature: -20°C-60°C Color Temperature: 6000-6500K Light Color: White Waterproof: IP44 Lifespan: 50000hrs Working mode: 1.By switch controlling :On-Steady- Flashing-Off 2.Light-operated:at dust,it will light up automatically after you turning the light on and set the light mode Work Time: 4-8h on steady mode,8-20h on flashing mode</p>